




Electrosurgical Generator



**The monopolar and
bipolar solution.**

ELECTROSURGICAL GENERATOR



Electrosurgical Generator Vet

700-340-800V



2-Button Footswitch, 6-pin plug

5m


700-350-405



Rubber Neutral Electrode (reusable)
160 x 80mm

4.5mm

700-700-003



Advanced measuring system

Real-time power adjustment depending on tissue

2 SDS output working panels

Automatic detection of the instruments

Pre-selected parameters

User can save specific modes - parameters will be stored and used for next activation

Neutral Electrode control

Warning system for insufficient contact to patient

AutoStart (bipolar)

Forceps is activated by grasping the tissue without using the foot pedal
- makes it faster

Mode	Monopolar	Bipolar	Watt	Effect
Pure Cut	•		max. 200W	Cutting with minimum thermal spread and limited hemostasis
Blend Cut	•		max. 200W	Cutting with strong hemostasis
Soft Coagulation	•		max. 200W	Deep coagulation without carbonization of the tissue
Forced Coagulation	•		max. 200W	Quick and strong hemostasis
Soft Bipolar Coagulation		•	max. 120W	For closing small vessels with limited thermal spread



PENCIL HANDLES WITH INTEGRATED CABLES



Electrode Handle with 2 buttons, SDS-Plug, 3m

Ø 2.4mm connection 700-223-124

Ø 4.0mm connection 700-225-124

- For Ø2.4 / 4.0mm Electrodes
- Hexagon anti-twist protection
- Autoclavable up to 300 times



ELECTRODES



Needle

20mm / Ø 0.7mm 5 pcs. 700-700-057



Tungsten

20mm / Ø 0.5mm 5 pcs. 700-700-056



Tungsten, angled

20mm / Ø 0.5mm 5 pcs. 700-700-055



Tungsten, with ceramic isolation

25mm / Ø 0.5mm 1 pc. 700-700-054



Wire loop, triangular, flexible

9mm, Ø 0.2mm 5 pcs. 700-700-049



Wire loop, triangular, flexible

7mm, Ø 0.2mm 5 pcs. 700-700-048



Wire loop, flexible

Ø 5mm, Ø 0.2mm 5 pcs. 700-700-043



Wire loop, rhombus, flexible

6mm x 10mm 5 pcs. 700-700-050



Ball, flexible

Ø 1mm 5 pcs. 700-700-045




Wire loop, flexible

Ø 8mm, Ø 0.2mm 5 pcs. 700-700-044




FORCEPS



Bipolar Nonstick Forceps, round handle,
flat plug, 150mm

0.3mm tip	700-010-150
1.0mm tip	700-030-150
2.0mm tip	700-040-150




Bipolar Nonstick Forceps,
flat plug, 150mm

0.3mm tip	700-610-150
1.0mm tip	700-630-150
2.0mm tip	700-640-150






FORCEPS / SCISSORS



Monopolar Scissors, curved

140mm	120-742-140
175mm	120-742-175



Bipolar Forceps-Scissors, straight, serrated, without catch

140mm	700-120-140
190mm	700-120-190



Bipolar Forceps, curved, 9mm, gripping surfaces, without catch

230mm	700-730-230
-------	-------------

CABLES & ADAPTERS



SDS Plug, pre-coded,
for Urology, Arthroscopy, ENT and
Laparoscopy



Bipolar Cable, straight plug

3m	700-500-300
5m	700-500-500



Monopolar Cable, Ø 4mm, straight plug

3m	700-501-300
5m	700-501-500



Cable for bipolar scissors

3m	700-500-305
----	-------------



Cable for bipolar scissors-forceps

3m	700-500-302
----	-------------



SDS-Adapter, monopolar

700-500-900



SDS-Adapter, bipolar

700-500-910



SPITZ VET CARE GmbH

Unter Hasslen 20
78532 Tuttlingen, Germany

Phone: +49 7462 9470-75

info@spitz.vet
www.spitz.vet