

orthopaedics.





LISTER

Plaster Cast / Bandage Scissors

90mm, 3 ¹ / ₂ "	190-165-090
110mm, 4 ¹ / ₃ "	190-165-110
140mm, 5 ¹ / ₂ "	190-165-140
180mm, 7"	190-165-180
200mm, 8"	190-165-200
210mm, 8 ¹ / ₄ "	190-170-210



TC LISTER

Bandage Scissors


180mm, 7"	190-291-180
-----------	-------------






Bone Reposition Forceps

95mm, 3³/₄" 210-651-095



STEINHAUSER
Bone Reposition Forceps,
extra long ratchet


135mm, 5¹/₃" 210-651-135



Bone Reduction Forceps,
curved, stepped point

135mm, 5¹/₃" 210-665-135

170mm, 6²/₃" 210-665-170



Reposition Forceps

200mm, 8"

210-651-200



Bone Fragment Clamp

120mm, 4^{3/4}"

210-631-120



MEYER

Reposition Forceps for Finger,
with drill guide

170mm, 6^{2/3}"

210-650-170

200mm, 8"


210-650-200



Reposition Forceps

140mm, 5^{1/2}"

210-718-140




SETTER

Bone Holding Forceps, curved, speed lock

160mm, 6^{1/4}" 210-719-160

225mm, 8^{7/8}" 210-719-220



Patella Holding Forceps, 2x2 sharp teeth

185mm, 7^{1/4}" 210-654-185



KERN

Bone Holding Forceps, with ratchet

170mm, 6^{2/3}" 210-621-170

240mm, 9^{1/2}" 210-621-210

without ratchet

170mm, 6^{2/3}" 210-620-170

240mm, 9^{1/2}" 210-620-210

**VERBRUGGE**
Bone Holding Forceps

175mm, 6 ⁷ / ₈ "	210-605-170
250mm, 9 ⁷ / ₈ "	210-605-250
260mm, 10 ¹ / ₄ "	210-605-260
270mm, 10 ² / ₃ "	210-605-270

**Bone Holding Forceps, self-centering**

150mm, 6"	210-603-150
190mm, 7 ¹ / ₂ "	210-603-190
240mm, 9 ¹ / ₂ "	210-603-240
260mm, 10 ¹ / ₄ "	210-603-260
280mm, 11"	210-603-280

**LAMBOTTE**
Bone Holding Forceps, movable jaw

220mm, 8 ² / ₃ ", 10mm jaw width	210-640-220
270mm, 10 ² / ₃ ", 13mm jaw width	210-640-270
300mm, 11 ⁷ / ₈ ", 16mm jaw width	210-640-300




FRIEDMANN

Bone Rongeur, 90°, curved

140mm, 5^{1/2}"

210-642-120



MINI FRIEDMANN

Bone Rongeur, 1.1mm delicate jaw


140mm, 5^{1/2}"

Straight

210-640-150

Curved

210-641-150




FRIEDMANN

Bone Rongeur, 140mm, 5^{1/2}"

Curved


210-640-140



KLEINERT KUTZ

Bone Rongeur, 2mm jaw,
140mm, 5^{1/2}"


Slightly curved	210-642-140
Strongly curved	210-643-140



LUER

Bone Rongeur, 140mm, 5^{1/2}"


Slightly curved	210-685-150
Strongly curved	210-687-150



BEYER

Bone Rongeur, 3x16mm, 180mm, 7"


Curved	210-830-180
Strongly Curved	210-831-180



MINI RUSKIN

Bone Rongeur, 2mm, 150mm, 6"

Straight	210-802-150
Curved	210-812-150



RUSKIN

Bone Rongeur, 5mm, 180mm, 7"

Straight	210-800-180
Curved	210-801-180

4mm


Straight	210-802-180
Curved	210-803-180

**LITTAUER**

Bone Cutting Forceps with spring

150mm, 6"

210-397-150

**BOEHLER**Bone Cutting Forceps, double action,
straight

150mm, 6"

210-892-150

curved on flat

150mm, 6"

210-890-150

**LISTON**

Bone Cutting Forceps, straight

140mm, 5^{1/2}"

210-934-140

170mm, 6^{2/3}"

210-934-170

190mm, 7^{1/2}"

210-934-190

220mm, 8^{2/3}"

210-934-220

angled

140mm, 5^{1/2}"

210-935-140

170mm, 6^{2/3}"

210-935-170

190mm, 7^{1/2}"

210-935-190

220mm, 8^{2/3}"


210-935-220



Bone Hook, 1 tooth, sharp

245mm, 9²/₃"


170-292-245



Bone Lever, 2.8mm

140mm, 5¹/₂"

210-539-110





HOHMANN

Bone Lever, 2mm tip, 8mm wide

160mm, 6¹/₄"

210-541-080







HOHMANN

Bone Lever, 15mm wide tip, with finger ring

120mm, 4^{3/4}"


210-541-150



Mini Bone Lever, 15mm wide tip

160mm, 6^{1/4}"

210-539-150



HOHMANN

Bone Lever, 240mm, 9^{1/2}"

8mm 210-541-108

10mm 210-541-100

18mm 210-541-180

24mm 210-541-240

43mm 210-541-430

70mm 210-541-700




HOHMANN

Bone Lever, 17mm, sharp

240mm, 9¹/₂"

210-542-180



HOHMANN

Bone Lever, 24mm




260mm, 10¹/₄"


210-545-220

35mm

285mm, 11¹/₄"

210-545-350





VERBRUGGE

Bone Lever, 25mm


200mm, 8" 210-542-025

45mm

230mm, 9" 210-542-045

70mm

250mm, 9^{7/8}" 210-542-070



HOHMANN

Bone Lever, 43mm


235mm, 9^{1/4}" 210-543-430






WILLIGER
Elevator, 160mm, 6^{1/4}"

5.5mm	210-395-160
7.0mm	210-396-170



COTTLE
Elevator, double-ended, graduated,
sharp/sharp

200mm, 8"	420-550-230
-----------	-------------




PENNYBAKER
Elevator, sharp, 6mm

150mm, 6"	210-488-170
-----------	-------------



COBB
Elevator, 240mm, 9^{1/2}"


9mm	210-401-095
13mm	210-401-127
19mm	210-401-019
25mm	210-401-025
32mm	210-401-032



Raspatory, synthetic handle,
6mm

190mm, 7¹/₂"

210-434-180



3mm

185mm, 7¹/₄"


210-432-185



6mm

185mm, 7¹/₄"

210-433-180



6mm

185mm, 7¹/₄"

210-432-180






WILLIGER

Double Curette, oval/oval, 140mm, 5¹/₂"


A #00/0 (Ø 2.5 / 3.0mm)	210-216-000
B #0/1 (Ø 3.0 / 3.5mm)	210-216-001
C #1/2 (Ø 3.5 / 4.2mm)	210-216-002



VOLKMANN

Double Curette, 130mm, 5¹/₈"


A 6.5 / 7.7mm	210-210-130
140mm, 5 ¹ / ₂ "	
B 6.2 / 6.8mm	210-210-140
170mm, 6 ² / ₃ "	
C 6.8 / 6.8mm	210-210-170
200mm, 8"	
D 6.2 / 7.5mm	210-210-200




VOLKMANN

Double Curette, 130mm, 5¹/₈"


A 6.8 / 6.3mm	210-211-130
160mm, 6 ¹ / ₄ "	
B 9.0 / 7.0mm	210-211-160
200mm, 8"	
C 11.0 / 9.0mm	210-211-200

**VOLKMANN**Bone Curette, 170mm, 6^{2/3}"


A #0000	210-304-400
B #000	210-304-300
C #00	210-304-200
D #0	210-304-100
E #1	210-304-010
F #2	210-304-020
G #3	210-304-030
H #4	210-304-040
I #5	210-304-050
J #6	210-304-060

**BRUNS**Bone Curette, round, 170mm, 6^{2/3}"

A #0000	210-306-400
B #000	210-306-300
C #00	210-306-200
D #0	210-306-100
E #1	210-306-010
F #2	210-306-020
G #3	210-306-030
H #4	210-306-040
I #5	210-306-050
J #6	210-306-060

**BRUNS**Bone Curette, synthetic handle,
170mm, 6^{2/3}"

A #0000, 2.5mm	210-302-100
B #000, 3.0mm	210-302-101
C #00, 3.7mm	210-302-102
D #0, 4.7mm	210-302-103
E #1, 5.7mm	210-302-104
F #2, 6.0mm	210-302-105
G #3, 7.4mm	210-302-106
H #4, 8.8mm	210-302-107
I #5, 9.2mm	210-302-108
J #6, 10.3mm	210-302-109



VOLKMANN BRUNS
Bone Curette, 230mm, 9"
straight jaw

A #0000	210-314-400
B #000	210-314-300
C #00	210-314-200
D #0	210-314-100
E #1	210-314-001
F #2	210-314-002
G #3	210-314-003
H #4	210-314-004
I #5	210-314-005
J #6	210-314-006

angled

A #0000	210-315-400
B #000	210-315-300
C #00	210-315-200
D #0	210-315-100
E #1	210-315-001
F #2	210-315-002
G #3	210-315-003
H #4	210-315-004
I #5	210-315-005
J #6	210-315-006

**PARTSCH****Osteotome, 140mm, 5¹/₂"**

4mm	210-100-004
6mm	210-100-006
8mm	210-100-008
10mm	210-100-010
12mm	210-100-012

**PARTSCH****Chisel, 135mm, 5¹/₃"**

2mm	210-302-135
3mm	210-303-135
5mm	210-305-135
6mm	210-306-135
7mm	210-307-135
8mm	210-308-135

170mm, 6²/₃"

2mm	210-302-170
3mm	210-303-170
5mm	210-305-170
6mm	210-306-170
7mm	210-307-170
8mm	210-308-170

**PARTSCH****Gouge, 140mm, 5¹/₂"**

2mm	210-109-002
3mm	210-109-003
4mm	210-109-004
5mm	210-109-005
6mm	210-109-006
7mm	210-109-007
8mm	210-109-008

170mm, 6²/₃"

2mm	210-110-002
3mm	210-110-003
4mm	210-110-004
5mm	210-110-005
6mm	210-110-006
7mm	210-110-007
8mm	210-110-008



COTTE

Osteotome with depth marking, 180mm, 7"

4mm	210-487-004
7mm	210-487-007
8mm	210-487-008
10mm	210-487-010
12mm	210-487-012



MINI LAMBOTTE

Osteotome, 125mm, 5"


2mm	210-136-002
3mm	210-136-003
4mm	210-136-004
5mm	210-136-005
6mm	210-136-006
7mm	210-136-007
8mm	210-136-008
9mm	210-136-009
10mm	210-136-010
12mm	210-136-012
14mm	210-136-014
15mm	210-136-015



MINI LAMBOTTE

Osteotome, curved, 125mm, 5"

2mm	210-137-002
4mm	210-137-005
6mm	210-137-007
8mm	210-137-009
10mm	210-137-011
12mm	210-137-013

**LAMBOTTE**Osteotome, 240mm, 9¹/₂"**straight**

4mm	210-132-004
6mm	210-132-006
8mm	210-132-008
10mm	210-132-010
12mm	210-132-012
15mm	210-132-015
20mm	210-132-020
25mm	210-132-025

curved

4mm	210-133-004
6mm	210-133-006
8mm	210-133-008
10mm	210-133-010
12mm	210-133-012
15mm	210-133-015
20mm	210-133-020
25mm	210-133-025

**WALTER**Osteotome, black, 190mm, 7¹/₂"

2mm	420-580-002
3mm	420-580-003
4mm	420-580-004
5mm	420-580-005



LUCAE

Mallet, Ø 25mm
140g

190mm, 7^{1/2}"

210-231-190



PARTSCH

Mallet, Ø 22mm
120g

180mm, 7"

210-225-180



Mallet, 2 interchangeable plastic discs,
Ø 25mm

140g

185mm, 7^{1/4}"

210-264-140

Spare Discs, pair

210-265-000




HAJEK

Mallet, Ø 27mm
140g

220mm, 8^{2/3}"

210-244-220



FOMON

Rasp, fine, double-ended, 7.5mm / 6.5mm

215mm, 8^{1/2}"

420-661-000





FOMON

Rasp, coarse, double-ended,
7.0mm / 8.0mm

215mm, 8^{1/2}"

420-660-000





KLEINERT KUTZ
Rasp, double-ended, 4 sides

220mm, 8^{2/3}" 420-656-000



Fig. 1



Fig. 2





Fig. 3



MILLER
Rasp, 90° cross-serrated, backwards cutting, 180mm, 7"

Fig. 1 8mm / 5mm 500-387-000

Fig. 2 6mm / 4mm 500-384-010

Fig. 3 6mm / 5mm 500-386-045



TC Wire Twisting Forceps

150mm, 6"

180-501-150



TC Wire Holding Clamp, round jaw

130mm, 5¹/₈"

180-569-130



Wire Holding Forceps

140mm, 5¹/₂"

200-515-140



Flat Nose Plier, distal jaw, smooth

140mm, 5¹/₂"

180-507-140



Flat Nose Plier, serrated jaw

140mm, 5¹/₂"

180-511-140



Flat Nose Plier, with groove

160mm, 6¹/₄"

200-518-160



Wire and Pin Bender / up to 3.2mm

150mm, 6"


200-204-150



**LOUTE
Wire Tightener**

210mm, 8¹/₄"


200-513-210



**DEMEL
Wire Tightening- and Twisting Forceps**

270mm, 10²/₃"


200-755-270



Wire Gripper, parallel closure

185mm, 7¹/₄"

200-513-185




Combined Wire Cutter and Gripper

180mm, 7"

180-512-185






CUT 
HARD max. 0.6mm
SOFT max. 1.0mm

TC Wire Cutter

120mm, 4^{3/4}"

200-500-120



CUT 
HARD max. 1.6mm
SOFT max. 2.0mm

TC Wire Cutter, angled

170mm, 6^{2/3}"

200-500-160

CUT 
HARD max. 1.8mm
SOFT max. 2.2mm

REILL

TC Wire Cutter, angled

220mm, 8^{2/3}"

200-500-220



CUT 
HARD max. 2.2mm
SOFT max. 3.0mm

TC Wire Cutter, 12° angled jaw

235mm, 9^{1/4}"

200-503-235



HARD max. 2.5mm
SOFT max. 3.5mm

TC Front Wire Cutter

220mm, 8²/₃"

200-506-220



HARD max. 1.6mm
SOFT max. 2.0mm

TC Flush Wire Cutter

180mm, 7"

200-508-180



UP TO 3.2mm

TC Wire Cutter, double action

240mm, 9¹/₂"

200-522-240




CUT 
UP TO 6.0mm

TC Front Cutter

380mm, 15"

200-500-380



Wire Guide, synthetic handle, 210mm, 8¹/₄"

Size 1 180-751-018

Size 2 180-751-020




T-Handle, incl. key

Jacob Chuck 200-157-001



T-Handle Drill, 1.0 - 6.0mm, cannulated,
Ø 5.2mm

Universal Chuck 200-157-100



Depth Gauge

110mm, 4 ^{1/3} "	30mm screw	200-200-014
160mm, 6 ^{1/4} "	50mm screw	200-200-016
200mm, 8"	70mm screw	200-200-018
200mm, 8"	80mm screw	200-200-080
280mm, 11"	120mm screw	200-200-120



A
Screw Driver, synthetic handle,
hexagonal,
SW 1,5

120mm, 4^{3/4}" 200-603-120

250mm, 9^{7/8}" 200-608-200

Screw Holding Sheath for 200-605-200

200-603-205



B
Screw Driver, synthetic handle,
hexagonal,
SW 2,5

200mm, 8" 200-604-220

250mm, 9^{7/8}" 200-604-200

Screw Holding Sheath for 200-604-200

200-604-204




C
Screw Driver, synthetic handle,
hexagonal,
SW 3,5

250mm, 9^{7/8}" 200-605-200

Screw Holding Sheath for 200-605-200

200-603-205





KERRISON

Punch, regular handle, 9.5mm opening



40° upwards cutting
180mm, 7"

1mm	250-400-181
2mm	250-400-182
3mm	250-400-183
4mm	250-400-184
5mm	250-400-185
6mm	250-400-186

200mm, 8"

1mm	250-400-201
2mm	250-400-202
3mm	250-400-203
4mm	250-400-204
5mm	250-400-205
6mm	250-400-206

230mm, 9"

1mm	250-400-231
2mm	250-400-232
3mm	250-400-233
4mm	250-400-234
5mm	250-400-235
6mm	250-400-236



90° upwards cutting
180mm, 7"

1mm	250-410-181
2mm	250-410-182
3mm	250-410-183
4mm	250-410-184
5mm	250-410-185
6mm	250-410-186

200mm, 8"

1mm	250-410-201
2mm	250-410-202
3mm	250-410-203
4mm	250-410-204
5mm	250-410-205
6mm	250-410-206

230mm, 9"

1mm	250-410-231
2mm	250-410-232
3mm	250-410-233
4mm	250-410-234
5mm	250-410-235
6mm	250-410-236



40° downwards cutting
180mm, 7"

1mm	250-420-181
2mm	250-420-182
3mm	250-420-183
4mm	250-420-184
5mm	250-420-185
6mm	250-420-186

200mm, 8"

1mm	250-420-201
2mm	250-420-202
3mm	250-420-203
4mm	250-420-204
5mm	250-420-205
6mm	250-420-206

230mm, 9"

1mm	250-420-231
2mm	250-420-232
3mm	250-420-233
4mm	250-420-234
5mm	250-420-235
6mm	250-420-236



90° downwards cutting
180mm, 7"

1mm	250-430-181
2mm	250-430-182
3mm	250-430-183
4mm	250-430-184
5mm	250-430-185
6mm	250-430-186


200mm, 8"

1mm	250-430-201
2mm	250-430-202
3mm	250-430-203
4mm	250-430-204
5mm	250-430-205
6mm	250-430-206

230mm, 9"

1mm	250-430-231
2mm	250-430-232
3mm	250-430-233
4mm	250-430-234
5mm	250-430-235
6mm	250-430-236

All Kerrison instruments are available with CERACUT® coating. Code number + CC (e.g. 250-400-181CC)

**KERRISON**

Punch, regular handle, thin footplate,
9.5mm opening

40° upwards cutting 180mm, 7"		90° upwards cutting 180mm, 7"		40° downwards cutting 180mm, 7"		90° downwards cutting 180mm, 7"	
1mm	250-401-181	1mm	250-411-181	1mm	250-421-181	1mm	250-431-181
2mm	250-401-182	2mm	250-411-182	2mm	250-421-182	2mm	250-431-182
3mm	250-401-183	3mm	250-411-183	3mm	250-421-183	3mm	250-431-183
4mm	250-401-184	4mm	250-411-184	4mm	250-421-184	4mm	250-431-184
5mm	250-401-185	5mm	250-411-185	5mm	250-421-185	5mm	250-431-185
200mm, 8"		200mm, 8"		200mm, 8"		200mm, 8"	
1mm	250-401-201	1mm	250-411-201	1mm	250-421-201	1mm	250-431-201
2mm	250-401-202	2mm	250-411-202	2mm	250-421-202	2mm	250-431-202
3mm	250-401-203	3mm	250-411-203	3mm	250-421-203	3mm	250-431-203
4mm	250-401-204	4mm	250-411-204	4mm	250-421-204	4mm	250-431-204
5mm	250-401-205	5mm	250-411-205	5mm	250-421-205	5mm	250-431-205
230mm, 9"		230mm, 9"		230mm, 9"		230mm, 9"	
1mm	250-401-231	1mm	250-411-231	1mm	250-421-231	1mm	250-431-231
2mm	250-401-232	2mm	250-411-231	2mm	250-421-231	2mm	250-431-231
3mm	250-401-233	3mm	250-411-231	3mm	250-421-231	3mm	250-431-231
4mm	250-401-234	4mm	250-411-231	4mm	250-421-231	4mm	250-431-231
5mm	250-401-235	5mm	250-411-231	5mm	250-421-231	5mm	250-431-231